

CERTIFICATE

of constancy of performance

1922 - CPR - 0096

In compliance with Regulation (EU) 305/2011 of the European Parliament and of the Council of 9 March 2011 (the Construction Products Regulation or CPR), this certificate applies to the construction products

SELF-SUPPORTING DOUBLE SKIN METAL FACED INSULATING PANELS - FACTORY MADE PRODUCTS:

- POLYURETHANE FILLED TYPE: NWP for walls, NRP for roofs;

Reaction to fire: B-s2-d0

- ROCK (MINERAL) WOOL FILLED TYPE: NWPSTS for walls, NRPSTS for roofs

Reaction to fire: A2-s1-d0.

(for controlled characteristics, see Annex I to 1922-CPR-0096 that is an inseparable part of this certificate)

placed on the market under the name or trade mark of

NUHPANEL YAPI ELEMANLARI SAN. ve TİC. A.Ş.

G.O.S.B. Ihsan Dede Cad. No 111/1 41480 GEBZE / KOCAELİ / TÜRKİYE

and produced in the manufacturing plant

NUHPANEL YAPI ELEMANLARI SAN. ve TİC. A.Ş.


G.O.S.B. Ihsan Dede Cad. No 111/1 41480 GEBZE / KOCAELİ / TÜRKİYE

This certificate attests that all provisions concerning the assessment and verification of constancy of performance described in Annex ZA of the standard

EN 14509:2013

under system 1 for the performance set out in this certificate are applied and that the factory production control conducted by the manufacturer is assessed to ensure the constancy of performance of the construction product.

This certificate was first issued on 08.05.2012 as 1922-CPD-0096 and reissued as 1922-CPR-0096 on 03.07.2014 and will remain valid until 20.02.2027 as long as neither the harmonised standard, the construction product, the AVCP methods nor the manufacturing conditions in the plant are modified significantly, unless suspended or withdrawn by the notified product certification body. The certificate is supported through annual surveillance audit and is reissued after each surveillance audit. The validity of the certificate may be confirmed in the CE register at the web address www.dedal-bg.net.



Manager:

Anna Vasileva



dipl. eng. Anna Vasileva

**ANNEX I TO CERTIFICATE OF CONSTANCY OF PERFORMANCE
1922 - CPR - 0096/09.03.2026**

Controlled characteristics, acc. to EN 14509:2013

Essential characteristics	Test method
Shear strength and shear modulus	EN 14509 – A.3
Creep coefficient	EN 14509 – A.6
Compressive strength and modulus	EN 14509 – A.2
Shear strength after long-term loading	EN 14509 – A.3.6
Cross panel tensile strength	EN 14509 – A.1
Bending moment capacity and wrinkling stress	EN 14509 – A.5 and A.5.5
Bending moment capacity and wrinkling stress over a central support	EN 14509 – A.7 and A.5.5
Thermal transmittance	EN 14509 – A.10
Reduction of tensile strength with time as a consequence of ageing (durability)	DUR 2
Reaction to fire	EN 13501-1

This certificate was first issued on 08.05.2012 as 1922-CPD-0096 and reissued as 1922-CPR-0096 on 03.07.2014 and will remain valid until 20.02.2027 as long as neither the harmonised standard, the construction product, the AVCP methods nor the manufacturing conditions in the plant are modified significantly, unless suspended or withdrawn by the notified product certification body. The certificate is supported through annual surveillance audit and is reissued after each surveillance audit. The validity of the certificate may be confirmed in the CE register at the web address www.dedal-bg.net.



Issued:
Burgas, 09 March 2026
Ref. No. 05-00



Manager: 
dipl. eng. Anna Vasileva